

INDEX MAPS.

T. 32 N., R. 6 E. 2nd Mer.



T. 33 N., R. 6 E. 2nd Mer.



☞ The figures on the lines refer to the page.

Township No 32 North of Range No 6 East of 2nd Mer. Indiana

South Boundary

West	On South Boundary of Sec 36 Var. E 13°
13 31	A W. Oak 18 ins diam
35 47	A Lynn 16 " "
40.00	Set a q.s Sec. Post from which
	a Butternut 7 ins diam bears N 60½ E 52 lks dist
	& a W Ash 14 " " " N 6 W 20 " "
60.50	Enter Marsh
65 50	Leave same
69.05	A W Oak 11 ins diam.
80.00	Set a Post Corner to Sec. 35 & 36 from which
	a W. Oak 12 ins diam. bears N 29½ E 10 links dist. &
	a Do 16 " " " N 52½ W 14 " "
	Land Rolling Soil good Timber Oak & Hickory
	On the East 60.00 B. & W. Walnut White Wood
	Ash &c.

West	On South Boundary of Sec. 35
1. 50	Enter Marsh
9. 00	Leave same
35. 81	A Y. Oak 16 ins diam.
36. 00	Enter Marsh
40.00	Set a q.s Sec Post. from which
	a W. Oak 15 ins diam. bears N 60½ E 19 links dist &
	a Do 24 " " " N 40½ E 24 " "
53 50	Leave Marsh
58. 81	Intersect line between Ranges 6 & 7 East & Town 31
	North 80 chains & 25 links North of Tp. Pos.
	Set a Post Corner to Town 31 North of Ranges 6 & 7 E
	from which
	a W. Oak 10 ins diam. bears S 85½ E 1.28 lks dist &
	a Do 16 " " " S 89½ W 100 " "
62.47	A W. Oak 9 " "
77.52	A W. Oak 8 " "
80. 00	Set a Post Corner to Sec. 34 & 35. from which
	a W. Oak 14 ins diam. bears N 69½ E 74 lks dist &

T 32 N. R 6 E 2nd Mer. Indiana

W. Oak 13 ins. diam. bears N 7 W 1.18 links dist and
Land. Rolling openings. Soil good. Timber. Oak. & Hick.
Broken with few places.

West	On South Boundary of Sec 34
13.44	A Hickory 11 ins. diam.
27.40	A W. Oak 14 " "
38.60	A Brook 10 links wide. Course S W. Sluggish
40.00	Set a qr Sec. Post from which
	an Elm 7 ins. diam. bears N 82 E 75 links dist &
	a B. Oak 13 " " " N 52 W 1.08 " "
60.74	A W Oak 24 ins. diam.
79.00	Marsh
80.00	Set a Post Corner to Sec. 33 & 34 from which
	a B. Oak 15 ins. diam. bears N 66 E 1.12 lks dist &
	a W. Oak 18 " " " N 1 W. 2.24 " "
	Land &c much the same.

West	On South Boundary of Sec 33.
16.00	Leave the Marsh.
17.00	Enter same Marsh
31.00	Leave Marsh
36.28	An Elm. 14 ins. diam.
40.00	Set a qr. Sec. Post from which
	a W. Oak 23 ins. diam. bears N 42 E 21 links dist &
	a B. 12 " " " N 33 W 45 " "
47.57	Road from Logansport to White Pigeon. Ca. N E.
57.00	Enter Marsh
71.00	Leave same
71.54	A Hickory 16 ins. diam.
80.00	Set a Post Corner to Sec. 32 & 33 from which
	a W. Oak 13 ins. diam. bears N 30 E 48 links dist &
	a B. Oak 21 " " " N 25 W. 54 " "
	Land &c much same as last mile

West	On South Boundary of Sec 32

T 32 N. R 6 E 2nd Mer. Indiana

3. 00 Enter Marsh
10. 00 Leave same
40. 00 Set a qr Sec. Post from which
a W. Oak 9 in. diam. bears N 47 E 27 links dist &
a Do 12 " " " N 34 W 68 " "
80. 00 Set a Post Corner to Sec. 31 & 32 from which
a Swamp Oak 4 in. diam. bears N 80 E 18 links dist &
an Elm 12 " " " N 14 W 62 " "
Land & similar. very brushy on the West 12.

West On South Boundary of Sec 31
1. 00 A Brook 50 links wide. Course North
32. 79 A W. Oak 18 in. diam.
35. 00 Enter Marsh
40. 00 Set a qr Sec Post & Leave Marsh. from which
a White Wood 16 in. diam. bears S 41 E 8 links dist &
a Hickory 13 " " " N 75 W 1. 78 " "
54. 50 Enter Marsh
65. 00 Point of dry Land. from the South.
68. 50 Leave same & Enter Marsh.
75. 83 Set a Post Corner to Tenn 32 North & Ranges 5 & 6
East from which a
W. Oak 24 in. diam. bears N 72 W. 2. 66 links dist &
a B. Gum 12 " " " N 66 W 2. 40 " "
Land mostly Openings Soil 2nd rate. Timber.
W. & Y. Oak Hickory.

East Boundary

South On East Boundary of Sec 1 Var 5. 50 E
Begin in Swamp.
6. 00 Leave the swamp
30. 25 A W. Oak 30 in. diam.
37. 57 Set a qr Sec. Post from which
a Hickory 6 in. diam. bears N 18 W 50 links dist &
a Do 7 " " " S 39 W 75 " "
50. 00 Leave Oak Land

T32 N. R 6 E 2nd Mer. Indiana

54.12 A Sugar 20 in. diam.
70.07 An Elm 8 " "
77.57 Set a Post Corner to Sec. 1 & 12 from which
a Blue Ash 10 in. diam. bears N 48½ W 48 lks. dist. &
a Buck 20 " " " S 65 W 38 " "
Land. 1st ½ mile Oak land. 2nd ½ Soil 1st rate.
Timber. Buck. Sugar. Ash & Elm.

South On East Boundary of Sec 12.
11.25 A White Wood 18 in. diam.
20.92 A Red Oak 10 " "
32.01 Enter Willow Swamp
40.00 Set a qr. Sec. post from which
an Elm 10 in. diam bears S 15 W 20 links dist. &
a Do 6 " " " S 57 W 24 " "
40.50 Leave the Swamp
49.00 Willow Swamp
60.00 Leave same
61.98 A Cherry 18 in. diam.
80.03 Set a Post Corner to Sec. 12 & 13 from which
a W. Oak 20 in. diam. bears N 24 W 25 links dist. &
a Do 18 " " " S 72 W 76 " "
Land low & 1st rate. Timber. Buck. Sugar, Elm
Ash &c. Undergth same

South On East Boundary of Sec 13
2.50 Enter Willow Swamp.
9.00 Leave same.
12.89 A Buck 18 in. diam.
36.49 An Ironwood 6 " "
40.00 Set a qr Sec Post from which
a Buck 20 in. diam. bears N 47 W 33 links dist. &
a Red Oak 30 " " " S 67 W 43 " "
57.00 A Brook 10 links wide. Course N W.
60.00 Enter Oak Land
76.43 A W. Oak 12 in. diam.

T 32 N. R. 6 E 2nd Mer. Indiana

80.00	Set a Post Corner to Sec. 13 & 24 from which a W. Oak 12 in. diam. bears N 29 W 35 links dist. & a Do 10 " " " S 45 W 85 " " Land level & 2nd rate. Timber Oak. Beech. Sugar. Ash. Elm. &c.
South	On East Boundary of Sec 24.
14.00	Enter Marsh
20.00	Leave same.
30.26	A W. Oak 18 in. diam.
40.00	Set a qr Sec Post from which a W. Oak 18 in. diam. bears N 68 W 50 links dist. & a W Oak 24 " " " S 29 W 60 " "
61.08	A Do 18 " "
70.00	Enter Marsh. Leave Marsh
80.00	Set a Post Corner to Sec. 25 & ~~24~~ from which an Whitewood 10 in. diam. bears S 35 W 14 links dist. & a B. Ash 7 " " " N 45 W 29 " " Land & much the same Level & 2nd rate. Timber Oak.
South	On East Boundary of Sec 25
31.10	A W. Oak 18 in. diam.
40.00	Set a qr. Sec Post from which a W. Oak 24 in. diam. bears N 45 W 30 links dist. & a Do 12 " " " S 32 W 100 " "
60.76	A W. Oak 30 " "
80.00	Set a Post Corner to Sec. 25 & 36 from which an Ironwood 7 in. diam. bears N 53 W 55 lks dist & an Elm 12 " " " S 60 W 34 " " Land &c same as last mile
South	On East Boundary of Sec 36.
12.43	A White Wood 36 in. diam.
40.00	Set a qr Sec Post from which a W. Oak 12 in. diam. bears S 38 W 75 lks dist &

T 32 N. R 6 E 2nd Mer. Indiana

a Red Oak 20 ins diam. bears N 60 W 86 links dist
12. 00 Enter Marsh
53 00 Outlet of Marshy Pond 10 links Course N W.
72. 00 Leave Marsh.
80. 00 Set Corner to Town 32 North. Ranges 6 & 7 East.
Surveyed by
Sylvester Sibley.

North Boundary. Var. 6° 0' E

West On South Boundary of Sec 36. T 33 N. R 6 E.
10. 50 Leave Marsh
30 50 A 16 Walnut 32 ins diam.
40. 00 Set a qr Sec post from which
a Lynn 10 ins diam. bears N 84½ E 50 links dist &
an Elm 11 " " " N 75¼ W. 40 " "
45. 94 A Blue Ash 11 ins diam.
56. 30 A Sycamore 30 " "
62. 00 Dry Channel of a Brook 10 links wide. Course S W.
73. 84 A Beech 19 ins diam.
76. 00 Channel of a Brook 10 links wide. Course N W.
some water. The line has crossed this Brook
some 10 times in 15 00
80. 00 Set a Post Corner to Sec 35 & 36. from which
a Blue Ash 18 ins diam. bears N 57½ W. 64 links dist
& a Beech 19 " " " N 81 E. 91 " "
Land mostly Rolling 1st rate. some broken by
low places. Timber. Beech. Oak. Walnut. Ash. Elm
and Spice.

West On South Boundary of Sec 35. T 33 N. R 6. E.
32 79 An Elm 8 ins diam
33 00 Leave Rich timbered Land & Enter Marsh.
40. 00 Set a qr. Sec post from which
a P. Oak 14 ins diam. bears N 53½ E 2 15 lks dist &
an Elm 14 " " " N 26¼ E 1. 72 " "
50 50 Leave the Marsh

T 32 N. R 6 E 2nd Mer. Indiana.

54 00 Enter Marsh
62 00 A Brook 25 links wide. Course S by W. sluggish,
from a Lake about ¼ mile N E
66, 07 A W. Oak 16 ins. diam. bears & Enter Marsh that
left on the West Bank of Brook.
73 50 Leave Marsh
80. 00 Set a Post Corner to Sec 34 & 35. from which
a W. Oak 13 ins. diam. bears N 77½ W. 64 lks dist &
a Do 15 " " N. 30 E 13 " "
Dry Land on East ¼ similar. on the West ¼ Rolling,
Barrens thin sandy soil. Timber. W. & Y. Oak.

West On South Boundary of Sec 34 T 33. N R 6 E.
15. 29 A W. Oak 15 ins. diam.
16. 30 An Indian Trail. S by E.
40. 00 Set a qr Sec post from which
a W. Oak 16 ins. diam. bears N 80 E 51 links dist &
a Do 16 " " N 70 W 16 " "
49. 00 Small Marsh
52. 50 Leave same
56. 59 A W. Oak 9 ins. diam.
64 55 A W. Oak 16 " "
79. 00 An Indian Trail Course South
80. 00 Set a Post Corner to Sec. 33 & 34 from which
a W. Oak 17 ins. diam. bears N 14 E 51 links dist &
a Do 14 " " N 72 W 12½ " "
Land E of Marsh level. West of Do Rolling
Barrens good soil. well Timbered with W. & Y. Oak.
(Set end of Lown for S. boundary Sec 33)

West On South Boundary of Sec 32 T 32 N R 6 E.
15. 50 An Indian Trail S E.
28 50 A Do " South.
29 00 Enter Marsh.
40. 00 Set a qr Sec post* from which a
Willow 7 ins. diam. bears S 87½ E 6 05 links dist &
a W. Oak 19 " " " S 2 E 5 11 " "

T 32 N. R 6 E 2nd Mer. Indiana

	* The qr Sec Post is on the border of a Marshy sluggish Stream 100 links wide. Course S & W.
48.00	A Stream 75 links wide. Course S W.
52.00	Same 50 " " " N W.
61.00	Same " " " " S W.
80.00	Set a Post Corner to Sec.s 31 & 32 from which a W. Ash 16 ins. diam.s bears N 94½ E. 55 lks. dist.s & a W. Oak 17 " " " West 14.06 " " Upland similar thinly timbered

---

West	On South Boundary of Sec 31 T 33 N. R 6 E.
6.75	Tippecanoe River 50 links wide. Course South. Very miry and about 4 feet deep. Brisk Current.
14.00	Leave Marsh West and Mirey a prodigious growth of Grass.
24 28	Intersect the E. Boundary of Chicksi's Reserve 29.30 South of the N E Corner from which a W. Oak 18 ins. diam.s bears N 42 E 79 links dist.s & a Do 13 " " " S 77 E 39 " "
36.20	An Indian Trail. Course South
40.00	Set a qr Sec post from which a W. Oak 15 ins. diam.s bears N. 25½ E 46 links dist.s & a Do 16 " " " N 13½ W 52 " "
42.00	Enter Marsh.
65.00	Leave same
70.07	A W. Oak 16 ins. diam.s
84.31	Intersect the West Boundary at the End of 5 miles 70 chains and 4 links — Set a Post Corner to Sec.s 1. 6. 31. & 36 T.s 32 & 33 North Ranges 5 & 6 E. from which a W. Oak 14 ins. diam.s bears S. 8. W. 1.02 links dist.s & a Do 11 " " " N 51½ E 1.19 " " Land & Similar West Timbered Except in Marsh. Oct.s 8th 1834.

Surveyed by
Robert Clark Jun.r D.S.

T 32 N. R 6 E 2nd Mer. Indiana

West Boundary Var. 6.13 E

South On East Boundary of Sec 1. T 32 N. R 5 E.
17.48 A W. Oak 14 ins. diam.
18.90 An Indian Trail. Course West.
34.50 Another Trail. " West.
36.00 Tippecanoe River 150 links wide Course West.
38.72 Set a gp. Sec post on the ~~South~~ Bank of Tippecanoe River from which an
Elm 26 ins. diam. bears N 29 p W 21 links dist, & a
W. Oak 14 " " " S 54 p W 71 " "
45.50 Enter Marsh
60.00 Leave Same
71.83 A D Oak 18 ins. diam.
74.00 An Indian Trail Course S E
78.72 Set a Post Corner to Sec. 1. & 12. from which
a W. Oak 12 ins. diam. bears N 33 p W 56 links dist, &
a Do 16 " " " S 39 W 77 " "
Land Rolling Oak Land Soil thin.

South On East Boundary of Sec 12 T 32 N R 5 E.
15.41 A W. Oak 16 ins. diam.
31.00 Enter Marsh
33.82 Intersect South side of Chickosie's Reserve 59 chains & 84 links West of the South East Corner thereof
where a W. Oak 20 ins. diam. bears S 64 p E 76 lks dist, &
a W. Oak 18 " " " S 20 E 81 " "
34.50 Leave the Marsh
40.00 Set a gp Sec post from which
a W. Oak 22 ins. diam. bears N 36 W 32 links dist &
a W. Oak 16 " " " S 5 p W 64 " "
70.42 A W. Oak 16 " "
73.50 Enter Marsh
80.00 Set a Post Corner to Sec. 12 & 13 from which
a W. Oak 12 ins. diam. bears S 26 W 433 links dist &
a Do 16 " " " N 33 E 1.80 " "
Land level & thin soil. Timber Oak.

T 32 N. R 6 E 2nd Mer. Indiana

South On East Boundary of Sec 13. T 32 N. R 5 E -
40.00 Set a gr Sec. Post - from which
a W. Oak 20 in. diam. bears N 50 W. 275 links dist &
a Do 22 " " " S 44 W 6.75 " "
40.25 A Brook 6 links wide. Course N E. Sluggish.
47.00 Leave the Marsh
50.13 A W. Oak 20 in. diam.
53.89 A W. Oak 12 " "
68.00 Enter Marsh
72.50 Leave Same.
80.00 Set a Post Corner to Sec. 13 & 24 from which
a W. Oak 12 in. diam. bears N 29 W 90 links dist &
a Do 25 " " " S 13 W 20 " "
Land & Similar to last mile.

South On East Boundary of Sec 24. T 32 N. R 5 E
9.88 An Elm 8 in. diam.
14.00 Enter Marsh
24.00 Leave Same
40.00 Set a gr Sec Post from which
a Cherry 3 in. diam. bears N 38 W 56 links dist &
an Iron wood 11 in. " " S 30 W 1 " "
40.50 Enter Cranberry Marsh
56.00 Leave Same
56.00 Enter Millen Swamp
62.00 Leave Same
62.01 A Red Oak 24 in. diam.
72.00 Enter swamp
76.00 Leave Same
80.00 Set a Post Corner to Sec. 24 & 25 from which
a W. Ash 3 in. diam. bears N 58 W 24 links dist &
a Beech 11 " " " S 32 W 69 " "
Land Rolling & Brushy. 2nd rate. Timber. Oak
Hickory & Beech.

South On East Boundary of Sec 25. T 32 N. R 5 E

T 32 N. R 6 E 2nd Mer. Indiana.

7. 50 A Red Elm 15 ins. diam.
33. 78 A Beech 12 " "
40.00 Set a qr. Sec post from which
a Blue Ash 8 ins. diam. bears N 66. W 22 lks dist. &
a Do " 12 " " " S 21½ W 78 " "
78. 33 Intersect the North Margin of Lake & Set a Post
from which
a W. Oak 12 ins. diam. bears N 2½ W 1.09 links dist. &
a Do 14 " " " N 57½ E 47 " "
80.00 Corner in Lake.
Land Rolling & mostly 1st rate. Timber: Oak. Beech
Sugar. Walnut. W. & Blue Ash. Elm &c.

South On East Boundary of Sec 30 T 32 N R 6 E.
3. 73 South Margin of Lake & Enter Marsh. Set a Post
from which
an Elm 7 ins. diam. bears N 87 W 1.27 links dist. &
a Sycamore 23 ins. " " S 33½ E. 10.03 " "
15. 50 Leave the Marsh.
40.00 Set a qr Sec post from which
a W. Oak 11 ins. diam. bears N 40 W 71 links dist. &
a Do 10 " " " S 30 W 9 " "
63. 34 A W. Oak 9 " "
64 00 Enter Marsh
80. 00 Corner to Town 32 North of Ranges 5 & 6 East.
Land & Timber simelar to last mile.

Surveyed by.
Sylvester Sibley D. S.

Subdivisions. June 13th 1834
North Between Sec. 35 & 36 Var. 5. 20' E
22. 30 An Elm 20 ins. diam.
40. 00 Set a qr Sec. post from which
a W. Oak 10 ins. diam. bears S 43 W 1.30 links dist. &
a B. Oak 11 " " " N 61 W 1.00 " "
57.71 A Lynn 12 " "

T 32 N. R 6 E 2nd Mer. Indiana.

50.00 Set a Post Corner to Sec. 25. 26. 35 & 36. from which
an Elm 22 ins. diam. bears N 29 W 75 links dist. &
a W. Oak 30 " " " S 33 E 1.80 " "
Barrens & Prairie. Timber Hazle & Sasafras.

East On Random between Sec. 25 & 36.
22.40 A Brook 12 links wide. Course North
79.90 Intersect East Boundary 44 links South of the Post
Part Barrens & part Wet Prairie

West Connected between Sec. 25 & 36.
13.30 A W. Oak 26 ins. diam.
39.95 Set a qr Sec Post at acer. dist. from which
a W. Oak 22 ins. diam. bears S 41 W 67 links dist. and
a Do 20 " " " N 18 W 65 " "
79.90 To Sec Corner.

North Between Sec. 25 & 26. June 13th. 1834.
19.50 A Brook 15 links wide. Course West.
20.40 A W. Oak 26 ins. diam.
40.00 Set a qr Sec post from which
an Ironwood 10 ins. diam. bears S 44 W 30 links dist. &
a Walnut 6 " " " S 25 E 7 " "
52.70 A Hickory 12 " "
80.00 Set a Post Corner to Sec. 23. 24. 25 & 26. from which
a Hickory 6 ins. diam. bears S 62 W 32 links dist. &
a W. Oak 14 " " " S 40 E 34 " "
Land poor. Scrubby Oak Timber Close Hazle Undergth.

East On Random between Sec. 24 & 25
80.20 Intersect the E. Boundary 16 links North of the Post
Land 2nd rate. Timber. Oak. Buch. & Poplar.
Close Undergth. of Hazle & Sasafras.

West Connected between Sec. 24 & 25.
40.00 Set a qr Sec post at acer. dist. from which an

T 32 N. R 6 E. 2nd Mer. Indiana

	Sherwood 12 ins. diams. bears S 1. E 21 links dists & a
	W. Oak 36 " " " N 20 W 24 " "
80 20	To Sec Corner.

North	Between Secs 23 & 24
14. 30	A W. Oak 20 ins. diam.
40.00	Set a qr Sec post from which
	an Aspin 6 ins. diam. bears N 31 W. 180 links dist &
	a W. Oak 24 " " " North 1. 50 " "
53. 30	A Walnut 24 " "
80. 00	A W. Oak 14 ins. diam. is Corner to Secs 13 14. 23. & 24
	from which
	a W. Oak 22 ins. diam. bears N 71 W. 15 links dist &
	Barrens & some Willow Swamps Soil poor 2nd rate

East	On Random between Secs 13 & 24.
80. 10	Intersect E. Boundary at Post.
	Poor Oak Barrens no Underbrush

West	Connected between Secs 13 & 24
20 90	A W. Oak 20 ins. diam.
40. 05	Set a qr Sec post at 2 links dist from which
	a B. Oak 24 ins. diam. bears N 15 E 67 links dist &
	a W. Oak 20 " " " S 25 W 67 " "
64 38	A B. Oak 24 " "
80. 10	To Sec Corner.

North	Between Secs 13 & 14
24. 13	A W Oak 20 ins. diam.
40. 00	Set a qr Sec post from which
	a W. Oak 22 ins. diam. bears South 12 links dist &
	a Do 22 " " " N 66 W 77 " "
57 90	A B. Oak 22 " "
80. 00	Set a Post Corner to Secs 11. 12. 13. & 14 from which
	a W. Oak 15 ins. diam. bears S 53 E 27 links dist &
	a Do 18 " " " N 62 W 22 " "

T 32 N. R 6 E 2nd Mer. Indiana

Rolling poor Oak Barrens. & Wet Prairie

East	On Random between Sec. 12 & 13
15.01	A Brook 25 links wide. Course S W.
80.00	Intersect E. Boundary 50 links North of the Post. Land 2nd rate. Timber. Beech. Oak. Poplar. Sugar. Spice. &c.
West	Corrected between Sec. 12 & 13.
20.20	A Beech 26 ins. diam.
40.00	Set a qr Sec. Post. from which a Poplar 36 ins. diam. bears N 68 E 24 links dist. & a " Oak 26 " " " S 7 W 26 " "
70.05	A W. Oak 24 ins. diam.
80.00	To Sec Corner.
North	Between Sec. 11 & 12.
20.01	A Brook 25 links wide. Course West
25.70	A W. Oak 14 ins. diam.
40.00	Set a qr. Sec. Post from which a Elm 30 ins. diam. bears S 7 W 40 links dist. and a " Oak 30 " " " N 2 E 50 " "
55.05	A W. Oak 24 " "
80.00	Set a Post Corner to Sec. 1. 2. 11. & 12 from which a Dogwood 9 ins. diam. bears N 76 W 10 links dist. & a Beech 24 " " " N 89 E 65 " " Timber. Oak. Undergt. Hazle & Sasafras.
East	On Random between Sec. 1 & 12.
79.30	Intersect the East Boundary 1.40 links South of Post. Land 2nd rate. Timber. Beech. Poplar. Oak. Ash. & Undergt. Brunnerd. Sugar. Spice.
West	Corrected between Sec. 1. & 12.
19.50	A Beech 15 ins. diam.
39.65	Set a qr. Sec. post as over. dist. from which

T 32 N. R 6 E. 2nd Mer. Indiana.

	Poplar 24 ins. diam. bears S 85 E 25 links dist. and a
	a Do 15 " " " N 40 W 19 " "
55. 53	A Sycamore 12 ins. diam.
79 30	To Sec. Corner.

North	Between Sec. 1. & 2.
20. 23	An Elm 10 ins. diam.
40. 00	Set a gr. Sec. Post from which
	a Beech 12 ins. diam. bears S. 26 E. 40 links dist. &
	a Hickory 14 " " " N 76 W 37 " "
58 84	A Beech 12 " "
79 30	Intersect the North Boundary 132 links East of Por.
	where Set a Post Corner to Sec. 1. & 2. from which
	an Ironwood 10 ins. diam. bears N 14 E 24 links dist. &
	an Ash 12 " " " S 25 W 32 " "
	Land good 2nd rate. Timber. Beech. Poplar. Ash.
	Sugar, Oak. Walnut &c. Undergt. Ironwood. Sugar. &c

North	Between Sec. 34 & 35.
40. 00	Set a gr. Sec. post from which
	a W. Oak 22 ins. diam. bears N 80 E 29 links dist. &
	a Hickory 12 " " " S 48 W 31 " "
55 40	A W. Oak 20 " "
80. 00	Set a Post Corner to Sec. 26. 27. 34 & 35. from which
	a Hickory 22 ins. diam. bears S 70 E 24 links dist. &
	a B. Oak 24 " " " N 5 E 1. 40 " "
	Oak Barrens. no Underbrush.

East	On Random between Sec. 26 & 35.
80. 22	Intersect N & S line 28 links South of the Post.
	Land &c as before.

West	Corrected between Sec. 26 & 35.
22 80	A B. Oak 15 ins. diam.
40 11	Set a gr. Sec. Post as aver. dist. from which
	a W. Oak 12 ins. diam. bears S 58 E 15 links dist. &

T 32 N. R 6 E 2nd Mer. Indiana.

W. Oak 22 ins. diam. bears N 44 E 14 links dist.
80.22 To Sec Corner.

North Between Sec. 26 & 27.
20.00 A W. Oak 20 ins. diam.
40.01 Set a gp Sec Post from which
a W. Oak 26 ins. diam. bears S 27 W 54 links dist. &
a Do 14 " " " N 8 W 24 " "
59.50 A Hickory 10 " "
80.00 Set a Post Corner to Sec. 22. 23. 26. 27. from which
a W. Oak 22 ins. diam. bears S 10 E 13 links dist. &
a Do 28 " " " N 2 W 88 " "
Land & Timber as before.

East On Random between Sec. 23 & 26
49.00 A Brook 15 links wide. Course N W.
80.35 Intersect N. & S. line 80 links North of the Post.
West 1/2 mile Barrens East 1/2 Timber. Oak. & Hickory.
Thick Undergt of Hazle & Sasafras.

West Corrected between Sec. 23 & 26.
20.15 A W. Oak 12 ins. diam.
40.17 Set a gp Sec post at acer. dist. from which
a W. Oak 24 ins. diam. bears N 26 W 27 links dist. &
a Do 20 " " " N 76 E 70 " "
65.85 A W. Oak 20 " "
80.35 To Sec. Corner.

North Between Sec. 22 & 23.
18.30 A W. Oak 14 ins. diam.
38.50 A Brook 15 links wide. Course West.
40.01 Set a gp Sec post from which
an R. Oak 12 ins. diam. bears N 29 W 6 links dist. &
an Elm 12 " " " N 75 E 66 " "
55.44 A W. Oak 28 " "
80.01 Set a Post Corner to Sec. 14. 15 22. & 23. from which

T32 N. R 6. E. 2nd Mer. Indiana.

a W. Oak 14 ins. diam. bears N 87 E. 3.42 links dist. &
a Do 24 " " " N 23 W 3.24 " "
Barrens.

East — On Random between Sec. 14 & 23
81 50 — Intersect the N & S line 1.20 links North of the Post.
Poor 2nd rate. Land Timber. Oak. Poplar Sugar. &
Undergt. very close. Hazle. & Sassafras.

West — Corrected between Sec. 14 & 23
21. 50 — An Re. Oak 10 ins. diam.
10. 75 — Set a gr. Sec. post at aver. dist. from which
a Hickory 26 ins. diam. bears S 80 E 29 links dist. &
a Sassafras 8 " " " S 30 W 30 " "
6 9. 00 — A B. Oak 15 ins. diam.
81. 50 — To Sec Corner.

North — Between Sec. 14 & 15.
20-89 — A W. Oak 22 ins. diam.
40 00 — Set a gr Sec Post from which
a B. Oak 19 ins. diam. bears N 27 E 20 links dist. &
a Do 18 " " " S 30 W 77 " "
5 7 25 — A Black Oak 20 ins. diam.
80. 00 — Set a Post Corner to Sec. 10 11. 14 & 15 from which
a W. Oak 30 ins. diam. bears S 78 E 16 links dist. &
a Do 22 " " " S 67 W. 14 " "
Barrens interspersed with Marshy Prairie

East — On Random between Sec. 11. & 14.
81. 00 — Intersect N. & S. line 2.12 links South of the Post.
Land open Barrens & Wet Prairie

West — Corrected between Sec. 11 & 14.
12. 90 — A W. Oak 12 ins. diam.
40. 50 — Set a gr Sec. post at aver. dist. from which
a W. Oak 14 ins. diam. bears N 68 W 18 links dist. &

T 32 N. R 6 E 2nd Mer Indiana.

	a W. Oak 15 ins. diam. bears S 23 W 11 links dist.
81 00	To Sec Corner.

North	Between Sec. 10 & 11.
10. 00	Set a qr Sec Post from which
	a W. Oak 20 ins. diam. bears N 9 E 27 links dist &
	a Do 12 " " " S 56 E 57 " "
80. 00	Set a Post Corner to Sec. 2. 3. 10 & 11. from which
	a W. Oak 22 ins. diam. bears S 70 W 130 links dist &
	a Do 22 " " " N 63 W 1.64 " "
	Rolly good Oak Barrens with skirts of Prairie.

East	On Random between Sec. 2 & 11.
15. 00	A Brook 30 links wide. Course N W.
80. 20	Intersect the N & S line 20 links South of the Post.
	Sand & Timber same as last mile

West	Corrected between Sec. 2 & 11.
20 25	A W. Oak 12 ins. diam.
10. 10	Set a qr Sec Post at corr. dist. from which
	a B. Oak 28 ins. diam. bears S 7 E 40 links dist &
	a W. Oak 24 " " " N 7 E 40 " "
80. 20	To Sec. Corner.

North	Between Sec. 2 & 3.
30. 00	A Brook 10 links wide. Course West
10. 00	Set a qr Sec Post from which
	a B. Oak 24 ins. diam. bears North 25 links dist and
	a W. Oak 15 " " " N 63 E 28 " "
65. 93	A W. Oak 15 " "
77. 80	Intersect the North Boundary 1. 58 links East of the
	Post. Set a Post Corner to Sec. 2 & 3. from which
	a B. Oak 15 ins. diam. bears S 39 W 78 links dist &
	a W. Oak 10 " " " S 40 E 61 " "
	South ½ mile mostly Wet Prairie. North ½ mile
	Oak Barrens.

T 32 N. R. 6 E 2nd Mer. Indiana.

North Between Sec. 33 & 34
8. 30 A W. Oak 22 in. diam.
40.00 Set a qr Sec. post from which
a Hickory 12 in. diam. bears S 52 W. 41 links dist. &
a Do 10 " " " N 66 W 20 " "
59.00 A Brook 12 links wide. Course N W.
60.75 A W. Oak 22 in. diam.
80.00 Set a Post Corner to Sec. 27 28 33 & 34 from which
a W. Oak 20 in. diam. bears S. 55 E 15 links dist. &
a Do 12 " " " N 75 W 29 " "
Poor Barrens

East On Random between Sec. 27 & 34
80 10 Intersect N & S line 15 links South of the Post.
Land & Timber as before.

West Connected between Sec. 27 & 34.
27.90 A W. Oak 20 in. diam.
40.05 Set a qr Sec. post at aver. dist. from which
a Hickory 12 in. diam. bears S 10 W. 46 links dist. &
a Do 12 " " " N 12 E 35 " "
55.60 A Poplar 24 " "
80.10 To Sec. Corner.

North Between Sec. 27 & 28.
16.60 A W. Oak 14 in. diam.
40.00 Set a qr Sec. post from which
a B. Oak 22 in. diam. bears N 87 E 50 links dist. &
a W. Oak 20 " " " N 75 W 39 " "
73.25 A Do 24 " "
80.00 Set a Post Corner to Sec. 21. 22. 27 & 28 from which
a W. Oak 30 in. diam. bears S. 6 E. 4. 30 links dist. &
a Do 33 " " " S 21 W. 37 " "
Oak Barrens. Soil poor. 2nd rate No Under gth

East On Random between Sec. 22 & 27.

T 32 N. R 6 E. 2nd Mer. Indiana

14. 00	A Brook 6 links wide. Course North.
80 15	Intersect the N. & S line at Post.
	Open Barrens. Interspersed with necks of Wet Prairie.

West	Connected between Sec.s 22 & 27.
~~14. 00~~ 18. 32	A B Oak, ~~in diam. Course North~~
46 07	Set a gr. Sec. post at aver. dist. from which
	a W. Oak 20 in.s diam.s bears N 32 W 43 links dist.s &
	a Do 14 " " " S 43 E 62 " "
80. 15	To Sec. Corner

North	Between Sec.s 21 & 22.
16 40	A W. Oak 18 in.s diam.s
25 00	Enter Marshy Prairie
40. 00	Set a gr Sec. post (Intersected Lake) & Raised a Mound
80. 01	Corner to Sec.s 15 16. 21. & 22. in Lake.

East	On Random between Sec.s 15 & 22.
14. 59	Made Corner on East Bank of Lake for Sec.s 15 & 22.
	from which a
	B. Oak 11 in.s diam.s bears N 6 E 16 links dist.s &
	a Do 12 " " " N 84 W 1½ " "
80. 35	Intersect 78 links North of the Post
	Rolling Oak Barrens

West	Connected between Sec.s 15 & 22.
40 17½	Set a gr. Sec. post at aver. dist.s from which
	a B Black Oak 36 in.s diam.s bears S 77 W 115 links dist.s &
	a W. Oak 20 " " " N 85 E 15 " "
61. 87	A B. Oak 25 " "
65 67	Eastern Shore of Lake.
80 35	To Sec. Corner.

North	Between Sec.s 15 & 16
40. 00	In Lake. Perhaps near Waters Edge. ground to
	Water for some distance. appeared to be impassible.

T 32. N. R 6 E. 2nd Mer. Indiana.

71.07	Set a Post Corner to Sec. 15 & 16. on the North shore of Lake. from which.
	a Black Oak 12 ins. diam. bears N 36 E 29 links dist. &
	a " Do 20 " " " S 61 W 39 " "
80.00	A Hickory 16 Corner to Sec. 9. 10. 15 & 16 from which
	a Hickory 17 ins. diam. bears N 37 E 16 links dist.

East	On Random between Sec. 10 & 15
80.75	Intersect N. & S line at Post
	Barrens & Prairie, The Barrens are thin 2nd rate soil. Prairie Wet.

West	Connected between Sec. 10 & 15
10.37½	Set a qr Sec Post at anen. dist. from which
	a W. Oak 20 ins. diam. bears East 4. 50 links dist. &
	a Do 15 " " " S 89 W. 1.25 " "
5.11.02	A Hickory 14 " "
80.75	To Sec Corner.

North	Between Sec. 9 & 10
35.27	A B Oak 23 ins. diam.
10.00	Set a qr. Sec Post from which
	a W. Oak 15 ins. diam. bears N 11 E 44 links dist. &
	a Do 20 " " " S 55 W 44 " "
80.00	Set a Post Corner to Sec. 3. 4. 9. & 10 from which
	a W. Oak 20 ins. diam. bears N 40 W 23 links dist. &
	a Hickory 9 " " " S 88 E 42 " "
	Land 2nd rate. Timber Oak & Hickory. No Undergt. Pleasant Surveying.

East	On Random between Sec. 3 & 10
81.10	Intersect N & S line at Post.
	Oak Barrens. Poor 2nd rate soil.

West	Connected between Sec. 3 & 10.
22.58	A B. Oak 24 ins. diam.

T 32 N. R. 6. E. 2nd Mer Indiana

40.35 Set a qr Sec Post at aver. dist from which
a B. Oak 24 in. diam. bears S 88 E. 505 lks dist &
a W. Oak 21 " " " S 83 W 3.90 " "
61 26 An R. Oak 21 " "
81. 10 To Sec Corner.

North Between Sec. 3 & 4
31. 30 A B. Oak 18 in. diam.
110.00 Set a qr. Sec Post from which
a B. Oak 18 in. diam. bears S 39 E 66 links dist &
a W. Oak 33 " " " S 70 W 33 " "
50.80 A Do 14 in. diam.
68 00 A Brook 50 links wide. Course West
78. 34 Intersect the North Boundary 50 links East of the
Post. Where Set a Post Corner to Sec. 3 & 4 from which
a W. Oak 20 in. diam. bears S 39 W 67 links dist &
a Do 24 " " " S 26 E 33 " "
Rolling handsome Land Timber Oak. no Underg.th
June 18th. 1834.

North Between Sec. 32. & 33
27. 10 A W. Oak 15 in. diam.
40.00 Set a post for qr Sec. from which
a W. Oak 18 in. diam. bears N 10 W 13 links dist. &
a Do 12 " " " S 68 W 15 " "
57 65 A W. Oak 18 " "
80. 00 Set a Post Corner to Sec. 32. & 33. from which
a W. Oak 22 in. diam. bears N 4 W 29 4 links dist &
a Do 20 " " " West 4. 80 " "
Oak Barrens. interspersed with indefinate
of Wet Prairie

East On Random between Sec. 28 & 33.
64. 75 A Brook 20 links wide Course N W.
80 25 Intersect N & S line 30 links South of Post.
East ¼ mile. Very brushy. West ¼ more open inclining

T 32 N. R. 6 E 2nd Mer. Indiana

to Barrens. Soil poor 2nd rate.

West Corrected between Sec.s 28 & 33
28. 00 An Elm 30 ins. diam.
40 12½ Set a gr Sec Post at aver. dists from which
a W Oak 20 ins. diam. bears N 80 W 30 links dist. &
a Hickory 14 " " " S 37 E 30 " "
60 50 A W. Oak 30 " "
80 25 To Sec Corner.

North Between Sec.s 28 & 29
15. 90 An Elm 24 ins. diam.
40.00 Set a gr Sec post from which
an Elm 10 ins. diam. bears S 67 E 22 links dist. &
an Ash 14 " " " N 62 W 30 " "
60, 00 A Beech 26 " "
80 00 Set a Post Corner to Sec.s 20 21. 28 & 29 from which
an R. Oak 36 ins. diam. bears N 15 E 23 lks dist. &
a Beech 15 " " " S 1 W 22 " "
Land level & 2nd rate. Timber. Beech. Sugar.
Poplar. Sugar. Oak. Elm. Ash. &c.

East On Random between Sec.s 21 & 28
41. 53 A Brook 30 links wide. Course North.
79. 53 Intersect N & S line 39 links South of the Post
West ½ mile Timbered. East ½ mile Barrens.

West Corrected between Sec.s 21 & 28.
40 70 A B. Oak 24 ins. diam.
39 76½ Set a gr Sec Post at aver. dists from which
an R. Oak 40 ins. diam. bears S 59 W 44 links dist.
a Beech 20 " " " N 49 E 25 " "
63 08 A Beech 12 " "
79.53 To Sec. Corner.

North Between Sec.s 20 & 21.

T 32 N. R 6 E. 2nd Mer. Indiana.

20.26 A Sugar 10 in. diam.
40.00 Set a Sec. post from which
a W. Ash 18 in. diam. bears N 77 W 24 links dist. &
a Do 14 " " " N 46 E 14 " "
North ½ mile good 2nd rate. North ½ mile poor Barrens.
60.00 Set a Post Corner to Secs. 16. 17. 20. & 21. from which
a W. Oak 22 in. diam. bears S 35 E 60 links dist. &
a Do 22 " " " S 53 W 29 " "
For Discription of Land. See 4th Sec. posts.

East On Random between Secs. 16 & 21.
35.00 To Lake where set Post Corner to Secs. 16 & 21.
on Western Margin of the Lake. from which
a W. Oak 20 in. diam. bears S 37 E 79 links dist. &
a Do 20 " " " N 84 W 97 " "
High Land. Oak Barrens.

West Corrected between Secs. 16 & 21.
10.03 A B. Oak 20 in. diam.

North Between Secs. 16 & 17
14.00 Intersected Lake where made Corner to Secs. 16 & 17
from which
a W. Oak 13 in. diam. bears N 37 W 73 links dist. &
a Do 12 " " " S 63 E 66 " "
60.22 Made Corner to Secs. 16 & 17 on the North Shore of Lake
from which
a W. Oak 15 in. diam. bears N 3 E 72 links dist. &
a B. Oak 18 " " " S 36 E 64 " "
80.00 Set a Post Corner to Secs. 8. 9. 16. 17. from which
a W. Oak 12 in. diam. bears S 34 W 17 links dist. &
a Do 14 " " " N 12 W 66 " "

East On Random between Secs. 9 & 16.
79.03 Intersect N. & S. line 100 links South of the Post.
Good Barrens. Timber. W. & B. Oak.

Comp.

T 32 N. R 6. E 2nd Mer. Indiana.

West Connected between Sec.s 9 & 10.
21.47 A W. Oak 12 ins. diam.
39.32 Set a qr Sec Post at aver. dist from which
a W. Oak 22 ins. diam. bears S 35 W. 27 links dist, &
a Do 22 " " " N 36 W 75 " "
79.05 To Sec Corner.

North Between Sec.s 8 & 9.
14.85 A W. Oak 12 ins. diam.
40.00 Set a qr Sec post from which
a W. Oak 20 ins. diam. bears S 10 W 53 links dist, &
a Hickory 11 " " " N 42 E 45 " "
45.00 Intersect Lake where made Corner to Sec.s 8 & 9. from which
a W. Oak 12 ins. diam. bears S 54 W 0 5 links dist, &
a Hickory 12 " " " S 38 E 95 " "
80.00 Corner to Sec.s 4. 5. 8. & 9 is in Lake.
South ½ mile is high beautiful Oak Barrens

East On Random between Sec.s 4 & 9.
15.41 A Brook 8 links wide. Course N W.
79.30 Intersect N & S line at Post.
East ½ mile Rolling 2nd rate Oak Land.

West Connected between Sec.s 4 & 9.
8.90 A W. Oak 33 ins. diam.
39.08 Set a qr. Sec Post at aver. dist from which
an E. Oak 20 ins. diam. bears S 55 E 65 links dist, &
a Do. 30 " " " S 41 W 9.25 " "
This post is on the East Margin of a Lake.
79.30 To Sec Corner.

North Between Sec.s 4 & 5
35.75 Set a Post Corner to Sec.s 4 & 5 on the North Margin
of Lake, from which
an Elm 6 ins. diam. bears S 33 E 24 links dist, &
a Maple 11 ins. " " N 50 W 5 " "

T 32 N. R 6. E. 2nd Mer. Indiana.

10.00	Set a qr. Sec Post. from which
	a Sycamore 22 in. diam. bears N 30 E 20 links dist &
	an Elm 11 " " " S 6 W 19 " "
46.29	A Brook 30 links wide. Course West.
59.24	A W. Oak 18 in. diam.
77.29	Intersect the North Boundary at Post
	where made Corner to Sec. 4. & 5. from which
	a B. Oak 10 in. diam. bears S 54 W 11 links dist &
	a Hickory 8 " " " S 58 E 40 " "
	North ½ mile Rolling & 2nd rate. Timber. Oak. Bush
	Poplar. Sugar. Ash &c.

North	Between Sec. 31 & 32.
3.00	A Brook 40 links wide. Course N E
21.00	A Poplar 33 in. diam.
40.00	Set a qr. Sec post from which
	a Sugar 15 in. diam. bears S 71 E 14 links dist &
	a Do 18 " " " S 35 W 30 " "
48.00	A Brook 40 links wide Course N W.
57.00	A Do 40 " " " N E
79.00	A Do 40 " " " N W.
80.00	Set a Post Corner to Sec. 29. 30. 31. & 32 from which
	an Ash 18 in. diam. bears S 67 W. 5 links dist &
	a Do 14 " " " N 29 E 4 " "
	Along the Creek Bottom. Land is mercy & bad
	This Creek has its source, most probable in the
	Township South. from a Lake. June 19th 1834.

East	On Random between Sec. 29 & 32.
79.85	Intersect the N. & S line 1. 20 links South of the Post
	West ½ mile Timbered. East ½ Barrens & Prairie

West	Corrected between Sec. 29. & 32.
15.22	A Hickory 12 in. diam.
39.92	Set a qr. Sec Post at aver. dist. from which
	a Willow 4 in. diam. bears S. 56 E 9 links dist &

T. 32. N. R. 5. E. 2nd Mer. Indiana.

a Willow 6 in.s diam.s bears S 65 W 13 links dist.s
59 85 A W. Oak 24 " "
79 85 To Sec. Corner.

West On Random between Sec.s 30 & 31.
1. 00 A Brook 40 links wide. Course N W.
76 50 Intersect the West Boundary 30 links North in East Margin of Small Lake
Land gently Rolling & good 2nd rate. Timber. Beech. Sugar. Poplar. Ash. & Oak.

East Connected between Sec.s 30 & 31.
At Corner on the West Boundary. Set a Post Corner of Sec.s 30 & 31. from which
a B. Oak 12 in.s diam.r bears S. 75. E 52 links dist.s &
a W. Oak 20 " " " N 19 E 110 " "
25. 70 A Poplar 36 " "
30. 50 Set a qr. Sec.t Post from which
a Poplar 30 in.s diam.r bears S 80 E 22 links dist.s &
an Ironwood 10 " " " S 75 W 15 " "
59. 50 A Walnut 18 " "
76 50 To Sec. Corner.

North Between Sec.s 29 & 30.
10 15 A Cherry 12 in.s diam.r
30. 50 A Brook 5 links wide. Course N W
40. 00 Set a qr. Sec.t Post from which
a Beech 16 in.s diam.r bears S. 3. W 23 links dist.s &
a Sugar 22 " " " N 16 E 35 " "
35. 40 A Cherry 15 " "
50. 00 Set a Post Corner to Sec.s 19. 20. 29. & 30 from which
an Elm 12 in.s diam.r bears N 46 E 33 links dist.s &
an R. Oak 26 " " " S 1 W 21 " "
Land level. rather inclining to Wet Timber same as on the last mile.

T 32 N. R 6 E 2nd Mer. Indiana.

East — On Random between Sec. 20 & 29.
79 81 — Intersect N. & S line 77 links North of the Post. Land level & good 2nd rate. Timber. Beech. Poplar. Sugar. Ash. Elm. Spice. Dogwood. Ironwood. Hickory. &c.

West — Corrected between Sec. 20 & 29
11 81 — A Poplar 36 ins. diam.
39 95 — Set a q. Sec post at aver. dist. from which an Ash 12 ins. diam. bears S 58 W 17 links dist. and a W. Oak 12 " " " N. 5 E 13 " "
67.61 — A Hickory 16 " "
79 81 — To Sec. Corner.

West — On Random between Sec. 19 & 30
32. 50 — A Brook 45 links wide. Course N W.
78.30 — Intersect the West Boundary 2.50 links North of Post. East p. mile 2nd rate Land. West p. scrubby & poor

---

East — Corrected between Sec. 19 & 30
At Corner on the West Boundary Set a Post Corner to Sec. 19 & 30. from which an Ironwood 12 ins. diam. bears S. 4 E 37 links dist. & an Ash 4 " " " N 4 E 38 " "
19. 30 — A Poplar 36 " "
39 15 — Set a q. Sec Post. from which a Cherry 16 ins. diam. bears S. 53 E 22 links dist. & a Do 20 " " " N 53 W 22 " "
67.40 — A Beech 24 " "
78.30 — To Sec. Corner.

North — Between Sec. 19 & 20.
30, 13 — A Walnut 20 ins. diam.
40. 00 — Set a qr. Sec. Post from which a Beech 22 ins. diam. bears S 87 E 17 links dist. & a Walnut 30 " " " S 85 W 25 " "

T 32 N. R 6. E 2nd Mer. Indiana.

54.50 A Poplar 20 ins. diams.
80.00 Set a Post Corner to Secs. 17. 18. 19. & 20 from which
a Sassafras 6 ins. diams. bears N 37 E 17 links dist. &
an Ironwood 9. " " S 76 W 10 " "
2nd rate Land. Timber heavy

East On Random between Secs. 17 & 20
35 00 Enter Swamp.
40.00 Enter Wet Prairie
70.00 Left same.
80 40 Intersect N & S line 77 links South of Post.

West Connected between Secs. 17 & 20.
40.20 Set a gr. Sec. post at corner dist. from which
an Aspen 6 ins. diam. bears S 40 W 13 links dist. &
a Willow 4 " " " N 62 W 9 " "
55 00 A W Oak 24 ins. diam.
80 40 To Sec Corner.

West On Random between Secs. 18 & 19.
49.00 A Brook 20 links wide. Course North
80.68 Intersect West Boundary 170 links North of Post.
Poor 2nd rate Land. Timber as last described.

East Connected between Secs. 18 & 19
At Corner on West Boundary Set a Post Corner to
Secs. 18 & 19 from which
a W Oak 28 ins. diam. bears S 84 E 19 links dist. &
a Do 15 " " " N 13 E 96 " "
20.60 An R. Oak 26 ins. diam.
40.60 Set a gr. Sec. post on true line from which
an Ironwood 10 ins. diam. bears S 76 E 12 links dist.
Han Ash 10 " " " N 85 W 33 " "
59.40 A W. Oak 28 " "
80 60 To Sec Corner.

T 32 N. R 6 E 2nd Mer. Indiana

North Between Sec. 17 & 18.
35 90 A W. Oak 12 ins. diam.
40 00 Set a gr. Sec post from which
a Poplar 24 ins. diam. bears S 74 E 27 links dist. &
an Ironwood 13 ins. " " S 67 W 17 " "
53.40 An R. Oak 28 " "
62 70 A Brook 60 links wide. Course N. W.
80.00 Set a Post Corner to Sec. 7. 8. 17 & 18 from which
a W. Oak 15 ins. diam. bears S. 7 E. 50 links dist. &
a Do 15 " " " N 31 W 48 " "
South 3/4 of Mile very Brushy. North of the Creek is
Barrens. — There is Probably a Mill Seat where
this line Crosses the Creek

East On Random between Sec. 8 & 17
55.00 A Tamarac Swamp. Course N. W.
79.80 Intersect N & S line 1.10 links South of the Post.
Oak Barrens. No Undergt. June 19th 1834.

West Corrected between Sec. 8 & 17
39.90 Set a gr. Sec Post at aver. dist. from which
a B. Oak 20 ins. diam. bears S. 87 W. 43 links dist. &
a W. Oak 12 " " " S 82 E 70 " "
70 45 A W. Oak 18 " "
79.80 To Sec. Corner. June 20th. 1834.

West Between Sec. 7. & 18. On Random
22 00 A Brook 40 links wide. Course N. W.
80.00 Intersect the West Boundary 1.80 links South of Post.

East Corrected between Sec. 7. & 18.
At Corner on the West Boundary. Set a Post. Corner
to Sec. 7 & 18. from which
a W. Oak 24 ins. diam. bears N 58 E 1.22 lks. dist. &
a Do 12 " " " N 87 E 2.05 " "
40.00 Set a gr. Sec Post from which

T 32. N. R 6. E 2nd Mer. Indiana.

W. Oak 14 in. diam. bears N 73 E 50 links dist & a
Do 16 " " " S 50 E 25 " "
S 4.50 A W. Oak 12 " "
50.00 To Sec Corner.

North Between Sec. 7. & 8.
15.10 A B. Oak 24 in. diam.
40.00 Set a gr. Sec post from which
a B Oak 20 in. diam. bears N. 57 W 23 links dist &
a W Oak 12 " " " S 87 E 75 " "
55.00 Touched West horn of Lake
80.00 Set a Post Corner to Sec. 5. 6. 7. & 8 from which
a W. Oak 24 in. diam. bears N 30 W 50 links dist &
a Do 15 " " " N 43 E 33 " "
South 60 chains. 2nd rate Oak Land.

East On Random between Sec. 5 & 8
14.23 Intersect a Lake
30.00 Left Lake.
53.25 To another Lake where made Corner for Sec. 5 & 8
(The Sec Corner being in the Lake) from which
a W. Oak 22 in. diam. bears S 29 E 25 links dist &
a Do 11 " " " N 26 W 87 " "
78.91 Entire length of line

West Connected between Sec. 5 & 8. From N. Shore of Lake
13.79½ Set a gr. Sec post at aver. dist from which
a B. Oak 30 in. diam. bears S 53 E 42 links dist &
a Do 22 " " " S 64 W 62 " "
78.91 To Sec Corner.

West On Random between Sec. 5 & 7
15.51 To Tippecanoe River 100 links wide Course W.
20.30 To East Boundary of Chicasie's Reserve where Made
Corner in River. from which
a B Oak 20 in. diam. bears South 4.30 links dist &

T 32. N. R 6 E 2nd Mer. Indiana

W. Oak 11 ins. diam. bears West 1.40 links dist.

North Between Sec. 5 & 6
15 05 A W. Oak 20 ins. diam.
20.00 Enter Marsh Prairie
31.10 Touched Bend of Tippecanoe River
36 75 Intersected & Crossed Bend of Do. S W.
40.00 Set a gr. Sec. Post from which in Right Bank of River. & Mixey & inaccessible in Prairie
The River here is about 1. chain wide very deep & Sluggish having a high growth of Sedge on Each side So very serpentine that its main Course cannot be ascertained
76.00 Intersect North Boundary 1.20 links East of Corner in Prairie. where Set a Post Corner to Sec. 5 & 6 25 4/4 links East of Corner on line of Chicago's Reserve. where a W. Oak 17 ins. diam. bears West 15 20 links dist.
June 21st 1834

Meanders of a Lake in Town 32. N. R 6 E. 2nd Mer,
Commencing at 1/4 Sec. Post on the line between
Sec. 21 & 22. thence in Sec 22.

Courses	Distances	Remarks
East	15 00	
N 45 E	9.00	
N 14 W	28.00	At 23.50 A Brook 20 links wide. from S E.
North	6.47	To Corner on line of Sec. 15 & 22. Thence

North	50.50	In Sec 15
N 31 W	24.00	
West	1.62	To Corner on line of Sec. 15 & 16 Thence

S 85 W	13.50	In Sec. 16
N 82. W	27.00	
S 66 W	21 00	
West	5 00	

T 32 N. R 5. E 2nd Mer. Indiana

S 85 W	13.50	
N 56	2.28	To Corner on line between Sec. 16 & 17
S 74 W	19.00	In Section 17
S 0 W.	18.00	
S 51 E	20.00	
S 79 E	12.83	To Corner on line of Sec. 16 & 17 and at 4.00 on this Course an Outlet 6 links wide. S W.
N 77 E	19.00	In Section 16
S 40 E	16.00	
S 35 E	13.00	
S 19 E	4.50	To Corner on line of Sec. 16 & 21. Thence
S 2 E	18.00	In Section 21.
S 24 E	24.00	
N 89 E	20.00	At 12.00 A Brook 30 links wide from South
N 85 E	15.25	To place of Beginning

Meanders of a Lake in Town 32 North Range 5 East, Beginning on the South Margin of Lake at the Corner on the line between Sec. 8 & 9. Thence

N 48 W	32.00	In Section 8
N 9 W	11.84	To Corner on line of Sec. 5 & 8 Thence
N 3 E	26.00	In Sec 5
N 34 E	12.00	At 10.00 An Outlet 1.50 links wide. Co. N W.
N 80 E	16.00	To Corner on line of Sec. 4 & 5.
N 80 E	18.00	In Sec. 4
S 58 E	24.00	
S 19 E	26.82	At 20.50 A Brook 6 links wide from S E To Corner on line of Sec. 4 & 9.
S 41 W	9.00	In Sec 9
S 74 W	30.00	

T32. N. R 6 E 2nd Mer. Indiana.

S 22 W 13.00
S 8 W 0.95 To place of Beginning

Surveyed by
John Hendricks D.S.

---

* West On South Boundary of Sec 33. T 33 N R 6 E.
32. 23 A W. Oak 16 ins. diam.
40.00 Set a gr. Sec post from which
a W. Oak 18 ins. diam. bears N 37 E 56 links dist. &
a Do 17 " " " N 68 W 23 " "
0 00 00 To Marsh
0 9 00 Leave same — On a small ridge from the North.
70 00 To Marsh
74 30 Leave Do
75 99 A W. Oak 10 ins. diam.
80.00 Set a Post Corner to Secs. 32 & 33 from which
a W. Oak 20 ins. diam. bears N 68 3/4 E 1.44 lks dist.
& a Do 30 " " " N 20 W 63 " "
Land 2e similar. Rolling.

Surveyed by
Robert Clark Junr.
Dep. Surveyor.

In this Township the Naturalist may meet with the most Romantic variety of both soil & Timber. The Lakes which give rise to Tippecanoe River, are very pretty. particularly the one in Sec. 16 which has received the name of Wolf Lake if my informant was Correct. The Barrens are beautifully undulating though not rich
The Lake at the Cor of Secs. 4. 5. 8 & 9 is perhaps the 1st source of the Tippecanoe but not so strong a feeder as the one in 16.

John Hendricks D.S.

T 32 N. R 6 E. 2nd Mer. Indiana

I Hereby Certify that in pursuance of a Contract with Micajah T. Williams Surveyor General of the United States. for the States of Ohio & Indiana & the Territory of Michigan, bearing date the 27th day of December 1833. and in good Conformity to the Laws of the United States. and the instructions of said Surveyor General I have Surveyed & Subdivided into Sec. Townships No 32 North of Range No 6 East of the 2nd Mer. in the State of Indiana. And I do further Certify that the foregoing are the true and mainly the Original Field Notes of the said Survey and Sub-divisions Executed as aforesaid

Certified this 21st day of June 1834

John Hendricks. D. S.

William Cash
William Felton Chainmen

A Hendricks Marker. in part.

T 32 N. R 6 E 2nd Mer. Indiana

Field Notes of that part of Chicago's Reserve. Lying in Town 32 North of Range 6 East of the 2nd Mer. Indiana.
Commenced Oct 3d & Completed October 14th 1836.

East 30.00 Measured on South Boundary from Range line. Came to impassible Bog & deep Water. Offset North 11 chains. Came to River spread over its Banks. and found it impossible to Work without a Canoe. & went to Indian Village and got one.

East 26.00 On Random between Sec. 6 & 7. Var. 6.00 E
Came to Tippecanoe River 200 links wide. Over its Banks. Course West of North.
58.50 Came to the River again after indefatigable toil through Grape Vines & Briers and could find no vestage of line or Corner & night coming on went to Camp. Oct 3d 1836.
Next morning Came and brought over Canoe up and Crossed the River. & found some bearings & small vestage of a line. but no Sec Corner. Re-Crossed the River & after strict search. found the W. Oak bearing mentioned in Corner on Boundary.
We then found that our Random line run yesterday intersected this
58.60 Intersect S. & S line 1.35 links South of the Post. Land some broken & 2nd rate. Timber. Oak. Hickory. Poplar. Willow. Aspin & Maple. Grape Vines & Briers in abundance.

West Corrected between Sec. 6 & 7
18.60 Set a gp. Sec post from which a W. Oak 21 ins. diam. bears N 50 W 7 links dist.
Do Do 20 " " " S 41½ E 37 " "
58.60 Corner on Range line where took bearings.

T 32 N. R 6 E 2nd Mer. Indiana

a W. Oak 16 ins. diam. bears N 10½ E 43 links dist.
a Do 20 " " " S 75¼ E 1.03 " "

As we found the water covered the Country, and could find but little line, & no Sec. Corner, and more than all, as the East half of the Sec.s 6 & 7 are of but of little account of the Wet Prairie and a Mill dam below, Spreading the Water all over it, We Concluded to give over Measuring any more, and Concluded to put the q.r Sec.r post on this line 40 chains from the Range line and let the ballance go into the
Oct.r 11th. 1830 having spent 2 days and run but little over half a mile.

Surveyed by
Jeremiah Smith D.S.

T. 32. N. R. 6 E. 2nd Mer. Indiana

I hereby Certify that in pursuance of a Contract with Robert T. Lytle Surveyor General of the United States. for the States of Ohio. Indiana & the Territory of Michigan, bearing date the 5th day of July 1830. and in strict Conformity to the Laws of the United States and the instructions of said Surveyor General I have surveyed and subdivided into Sec.s That part of Chicasaw Reserve Lying in Town 32 North of Range No 6 East of the 2nd Mer. Indiana. And I do further Certify that the foregoing are the true and Original Field Notes of the said survey and subdivisions Executed as aforesaid
Certified this 6th day of Oct 1830.

Jeremiah Smith.
Deputy Surveyor.

Murrah Scruggs }
Thomas Miller. } Chainmen

I Certify that the foregoing transcript of the Field Notes of Township No 32 North of Range No 6 East of the 2nd Mer. in the State of Indiana has been Compared with the Original Notes in this Office. and found to be Correct.
Surveyor Generals Office
Cincinnati March 2nd 1843.

William Johnston
Sur. Genl